



Our Ref : VDBO/CM/L-7300131070

Dated : 29/11/23

Subject: Grant of BIS Certification Marks Licence No 7300131070 as per IS 17425: 2020.

M/S VENUKA POLYMERS PRIVATE LIMITED

PLOT NO.- 569,570,595, 596,

GIDC MANJUSAR, TAL- SAVLI,

VADODARA, GUJARAT, 391775

Dear Madams(s)/Sir,

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

IS NO	IS 17425: 2020
Product	Irrigation Equipment- Quick Coupled Polyethylene Pipes and Fittings for Sprinkler Irrigation Systems.
Grade/Class/Type/Variety	Class 1 (0.25 MPa Maximum Permissible Working Pressure at 30°C), Size (Outside Diameter) - 75 mm, 90 mm and 110 mm Class 2 (0.32 MPa Maximum Permissible Working Pressure at 30°C), Size (Outside Diameter) - 63 mm, 75 mm, 90 mm and 110 mm

1. The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.

2. The number assigned to this licence is CM/L- 7300131070 which has been made operative from 2023-11-01 and is valid up to 2024-10-31. The licence number should invariably be referred to in your future correspondence.

According to sub-regulation (1) & (3) of Paragraph 5 of scheme I of Schedule II under Bureau of Indian Standards (Conformity of Assessment) Regulation, 2018, the annual licence fee of Rs. 1000.00 and the marking fee for use of standard mark as per Annexure-I of Scheme I of BIS (Conformity assessment) Regulation 2018 is payable by you with effect from 2023-11-01 for the period of validity of the licence in advance.

3. Minimum marking fee stipulated in Annexure -I of scheme I of BIS (Conformity Assessment) Regulation 2018 is payable by you regardless of the whether you actually mark your product or not with the Standard Mark. **Our Receipt No. AA73PC2023000669 dated 2023-10-05** for the licence fee and the minimum marking fee for the first operative period is already issued.

4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher shall be payable by you at the time of renewal.

5. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

6. The Scheme of Testing and Inspection as specified by BIS will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.


7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product. Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.

8. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed /obliterated.

9. This licence is granted for your factory situated at **PLOT NO.- 569,570,595, 596, GIDC MANJUSAR, TAL- SAVLI, VADODARA, GUJARAT, 391775**. Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by us in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.

10. It may be noted that this licence is granted subject to the condition that if samples drawn on **2023-10-20** by BIS during the verification visit before grant of licence, fail to conform to the Requirements of relevant Indian Standard (in any requirement), the licence shall be put under Suspension, and in case fresh sample after corrective action is not offered within one month or fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation.

Thanking You,


(SUMIT SENGAR)
DIRECTOR & HEAD

Encl: As above

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
मानक चिह्न के उपयोग के लिए अनुज्ञप्ति
Licence for the use of STANDARD MARK

लाइसेंस सं. सीएम/एल - 7300131070
Licence No. CM/L- 7300131070

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

मैसर्स वेनुका पॉलिमर प्राइवेट लिमिटेड

प्लॉट नं.- 569,570,595, 596,

जीआईडीसी मंजुसर, ता.- सावली,

वडोदरा, गुजरात, 391775

को (जिसे इसमें आगे 'अनुज्ञप्तिधारी' कहा गया है) इसकी अनुसूची के पहले स्तंभ में विनिर्दिष्ट मानक चिह्न का इस अनुसूची के तीसरे स्तंभ में दी गई किस्मो पर, उपयोग करने के लिए अनुज्ञप्ति प्रदान करता है। इन उत्पादित किस्मो पर चिह्न का उपयोग उक्त अनुसूची के द्वितीय स्तंभ में समय-समय पर संशोधित अथवा पुनरीक्षित/संदर्भित संबंध भारतीय मानक (मानकों) के अनुसार/अनुरूप विनिर्मित हो।

By virtue of the power conferred on it by the BUREAU OF INDIAN STANDARDS ACT, 2016 (11 of 2016) the BUREAU hereby grants to

M/S VENUKA POLYMERS PRIVATE LIMITED

PLOT NO.- 569,570,595, 596,

GIDC MANJUSAR, TAL- SAVLI,

VADODARA, GUJARAT, 391775

(hereinafter called the Licensee) this licence to use the Standard Mark set out in the first column of the Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with/conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.

2. इस अनुज्ञप्ति में अनुबंद अनुज्ञप्ति की शर्तों के लिए अनुज्ञप्तिधारी उत्तरदायी हैं। यह अनुज्ञप्ति अनुसूची में यथा-उल्लिखित नाम, कारखाना के पते और अवधि के लिए विधिमान्य होगा और इसे स्कीम-I में निर्दिष्टानुसार नवीकृत कराया जा सकता है।

2. This licence carries the obligations on the part of licensee as conditions of licence which are given in Annexure attached herewith. The licence shall be valid for the name, factory address and period as mentioned in the schedule and may be renewed as specified in the Scheme-I.

अनुसूची/SCHEDULE
लाइसेंस सं. सीएम/एल - 7300131070
LICENCE NO. CM/L - 7300131070

नाम : मैसर्स वेनुका पॉलिमर प्राइवेट लिमिटेड

फैक्ट्री एड्रेस : प्लॉट नं.- 569,570,595, 596, जीआईडीसी मंजुसर, ता.- सावली, वडोदरा, गुजरात, 391775

विधिमान्यता: 01/11/2023 से 31/10/2024

Name: M/S VENUKA POLYMERS PRIVATE LIMITED

Factory Address: PLOT NO.- 569,570,595, 596, GIDC MANJUSAR, TAL- SAVLI,
VADODARA, GUJARAT, 391775

Validity: 01/11/2023 TO 31/10/2024

मानक चिह्न STANDARD MARK	भारतीय मानक INDIAN STANDARD(S)	अनुज्ञप्ति का विषय क्षेत्र SCOPE OF LICENCE	चिह्नांकन शुल्क MARKING FEE
(1)	(2)	(3)	(4)
IS 17425  CM/L- 7300131070	आईएस 17425: 2020 सिंचाई उपस्कर- स्प्रिकलर सिंचाई प्रणाली के लिए सहज संयोजी पोलिएथिलिन पाइप तथा फिटिंग IS 17425: 2020 Irrigation Equipment- Quick Coupled Polyethylene Pipes and Fittings for Sprinkler Irrigation Systems.	Class 1 (0.25 MPa Maximum Permissible Working Pressure at 30 °C), Size (Outside Diameter) - 75 mm, 90 mm and 110 mm Class 2 (0.32 MPa Maximum Permissible Working Pressure at 30 °C , Size (Outside Diameter) - 63 mm, 75 mm, 90 mm and 110 mm	एक वर्ष की प्रचालन अवधि के दौरान न्यूनतम मुहरांकन फीस ₹ 87000.00 के साथ सभी इकाईयों के लिए ₹ 0.18 प्रति इकाई। इकाई: ONE KG ₹ 0.18 per unit for all units with a Minimum Marking Fee of ₹ 87000.00 during an operative period of one year Unit: ONE KG एक प्रचालन वर्ष के लिए न्यूनतम चिह्नांकन शुल्क अग्रिम में देय होगी जो अगले नवीकरण में अग्रणीत होगी। Minimum marking fee for one operative year payable in advance which will be carried over to next renewal(s)

आज वर्ष 2023 के 11^{वां} माह की 29 तारीख को हस्ताक्षरित तथा मोहर बंद किया गया।

Signed, Sealed and Dated this 29th day of Nov month of year Two Thousand TWENTY THREE.

कृते भारतीय मानक ब्यूरो/ for BUREAU OF INDIAN STANDARDS



सुमित सेंगर/SUMIT SENGAR

निदेशक एवं प्रमुख/DIRECTOR & HEAD